

# Take lung cancer research to a new molecular dimension



The new AdnaTest LungCancer kits allow molecular characterization of circulating tumor cells (CTCs) by combining AdnaTest CTC-Select with AdnaTest LungCancerDetect using the combination-of-combinations principle.

#### The AdnaTest LungCancer features:

- Increased sensitivity for lung cancer compared to single-antibody methods
- Detection of EMT key markers
- Minimization of leukocyte bias

Sample to Insight

## Increased sensitivity in lung cancer

#### Improve sensitivity by detecting key EMT markers

AdnaTest CTC-Select provides antibodies against EpCam, Her2 and EGFR to strongly increase performance compared to detection based only on EpCam. EMT and tumor stem-cell metabolism markers are found in approximately 80% of all CTCs from lung cancer samples (Figure 1). Analyzed CTCs were positive for at least one of the following EMT markers: Twist1, Akt2 and PI3KC $\alpha$ . AdnaTest LungCancerDetect contains primer mixes for the qPCR detection of EMT and lungcancer-associated markers.



Figure 1. The use of multiple antibodies and optimized selection of gene targets increases sensitivity. A: Comparison of selection using only an antibody to EpCam (single-antibody method) or multiple antibodies in AdnaTest CTC-Select; B: Detection using primers to multiple genes in AdnaTest LungCancerDetect.

#### Increase analysis sensitivity with AdnaWash

The detection of markers for tumor stem cells, such as ALDH1, and EMT, including Twist1, Akt2 and PI3KC $\alpha$ , requires significantly higher cell-preparation purity to eliminate a bias from contaminating leukocytes. The AdnaWash Leukocyte Reducer is a special buffer developed to reduce leukocyte content during CTC enrichment. CD45-endpoint PCR analysis clearly demonstrates that the number of leukocytes in captured cells is dramatically reduced using AdnaWash compared to phosphate buffered saline (PBS) (Figure 2).



Figure 2. Reducing leukocytes in captured cells using AdnaWash. Blood samples from healthy donors were processed using PBS or AdnaWash. (1)

#### **Reference:**

 Hanssen A., et al (2016) Characterization of different CTC subpopulations in non-small cell lung cancer. Nature Sci Rep 6, 28010.

### Ordering Information

| Product                   | Contents   | Cat. no. |
|---------------------------|--|----------|
| AdnaTest CTC-Select       | For immunomagnetic enrichment of circulating tumor cells<br>(CTCs) from human whole blood for 12 preparations.   | 395092   |
| AdnaTest LungCancerDetect | For 12 mRNA isolation from CTCs, reverse transcription and sub-<br>sequent detection of epithelial-mesenchymal transition (EMT) and<br>lung cancer-associated gene expression using endpoint PCR | 396052   |

Trademarks: QIAGEN®, Sample to Insight® (QIAGEN Group)). Registered names, trademarks, etc. used in this document, even when not specifically marked as such, are not to be considered unprotected by law.

Ordering www.qiagen.com/shop | Technical Support support.qiagen.com | Website www.qiagen.com